

**TERRAMYCIN SCOURS- oxytetracycline hydrochloride tablet**  
**Zoetis Inc.**

-----  
**Terramycin®**  
**(oxytetracycline HCl)**  
**Scours Tablets**

*Each tablet contains 250 mg of oxytetracycline HCl.*

*A broad-spectrum antibiotic for use in beef and dairy calves*

**Read Entire Package Outsert Carefully Before Using This Product**

**DESCRIPTION**

Terramycin Scours Tablets is an oral formulation containing oxytetracycline, a versatile, broad-spectrum antibiotic that possesses potent antimicrobial activity, for use in beef and dairy calves.

**INDICATIONS AND USAGE**

Terramycin Scours Tablets are recommended for oral administration for the control and treatment of the following diseases in beef and dairy calves caused by organisms sensitive to oxytetracycline: bacterial enteritis caused by *Salmonella typhimurium* and *Escherichia coli* (colibacillosis) and bacterial pneumonia (shipping fever complex, pasteurellosis) caused by *Pasteurella multocida*.

**WARNINGS**

Discontinue treatment at least 7 days prior to slaughter. Not for use in lactating dairy cattle. A withdrawal period has not been established for this product in preruminating calves. Do not use in calves to be processed for veal.

**PRECAUTIONS**

Exceeding the recommended dosage level of 2 tablets per 100 lb of body weight every 12 hours (10 mg/lb of body weight daily), or administering at this recommended level for more than 4 consecutive days, may result in antibiotic residues beyond the withdrawal time.

Organisms may vary in their degree of susceptibility to any chemotherapy. If no improvement is observed after recommended treatment, diagnosis and susceptibility should be reexamined.

Rarely do side reactions or allergic manifestations occur in calves treated with Terramycin. If any unusual reactions are noted, discontinue use of the drug immediately and call a veterinarian.

Since bacteriostatic drugs may interfere with the bacterial action of penicillin, it is advisable to avoid giving Terramycin in conjunction with penicillin.

**DOSAGE AND ADMINISTRATION**

For *control* of bacterial enteritis and bacterial pneumonia orally administer 1 tablet per 100 lb of body weight every 12 hours (5 mg/ lb of body weight daily in divided doses) for up to 4 consecutive days.

For *treatment* of bacterial enteritis and bacterial pneumonia orally administer 2 tablets per 100 lb of body weight every 12 hours (10 mg/lb of body weight daily in divided doses) for up to 4 consecutive days.

Dosage should continue until the animal returns to normal and for 24–48 hours after symptoms have subsided. Treatment should not exceed 4 consecutive days.

### **Care of Sick Animals**

The use of antibiotics in the management of disease is based on an accurate diagnosis and an adequate course of treatment. When properly used in the treatment of diseases caused by oxytetracycline-susceptible organisms, most animals treated with Terramycin Scours Tablets show a noticeable improvement within 24–48 hours. If improvement does not occur within this period of time, the diagnosis and course of treatment should be reevaluated. It is recommended that the diagnosis and treatment of animal diseases be carried out by a veterinarian. Since many diseases look alike but require different types of treatment, the use of professional veterinary and laboratory services can reduce treatment time, costs, and needless losses. Good housing, sanitation, and nutrition are important in the maintenance of healthy animals and are essential in the treatment of disease.

### **RECOMMENDED STORAGE**

Store below 25°C (77°F).

### **For Animal Use Only**

**Restricted Drug (California)—Use Only as Directed**

**Not For Human Use**



NADA #11-060, Approved by FDA

Distributed by:  
Zoetis Inc.  
Kalamazoo, MI 49007  
30165300  
Revised: June 2013

### **PRINCIPAL DISPLAY PANEL - 24 Tablet Bottle Label**

**Terramycin<sup>®</sup>**  
*(oxytetracycline HCl)*

#### **Scours Tablets**

*Each tablet contains 250 mg of oxytetracycline HCl.*

*For use in beef and dairy calves*

A broad-spectrum antibiotic for the control and treatment of the following diseases of beef and dairy calves caused by organisms sensitive to oxytetracycline: bacterial enteritis caused by *Salmonella typhimurium* and *Escherichia coli* (colibacillosis) and bacterial pneumonia

(shipping fever complex, pasteurellosis) caused by *Pasteurella multocida*.

**Net Contents: 24 tablets**

NADA #11-060, Approved by FDA

**zoetis**

30165601

**LOT**  
**EXP**

30165601

0 87219 06912 7

FPO -UPC

**Dosage Levels:** For control of bacterial enteritis and bacterial pneumonia only. Administer 1 tablet per 100 lb of body weight every 12 hours (5 in 9 lb of body weight daily in divided doses) for up to 4 consecutive days. For bacterial enteritis, antibiotic and bacterial pneumonia only administer 2 tablets per 100 lb of body weight every 12 hours (10 mg/kg of body weight daily) in divided doses for up to 4 consecutive days. Dosage should continue until the animal returns to normal and for 24-48 hours after symptoms have subsided. Treatment should not exceed 4 consecutive days.

**Terramycin®**  
(oxytetracycline HCl)  
**Scours Tablets**

Each tablet contains 250 mg of oxytetracycline HCl.  
For use in beef and dairy calves

A broad-spectrum antibiotic for the control and treatment of the following diseases of beef and dairy calves caused by organisms sensitive to oxytetracycline: bacterial enteritis caused by *Salmonella typhimurium* and *Escherichia coli* (colibacillosis) and bacterial pneumonia (shipping fever complex, pasteurellosis) caused by *Pasteurella multocida*.

**Net Contents: 24 tablets**  
NADA #11-060, Approved by FDA

**zoetis**

**Warnings:** Discontinue treatment at least 7 days prior to slaughter. Not for use in lactating dairy calves. A withdrawal period has not been established for the product in preweaning calves. Do not use in calves to be processed for veal.

**Precautions:** Exceeding the recommended dosage level of 2 tablets per 100 lb of body weight every 12 hours, or administering at this recommended level for more than 4 consecutive days may result in antibiotic residues beyond the withdrawal times. If no improvement is observed after recommended treatment, diagnosis and susceptibility should be reexamined. Rarely do side reactions or allergic manifestations occur in calves treated with Terramycin. If any unusual reactions are noted, discontinue use of the drug immediately and call a veterinarian. Since the tetracycline drugs may interfere with the bactericidal action of penicillin, it is advisable to avoid giving Terramycin in conjunction with penicillin.

Store Below 25°C (77°F)  
Refer to Package Insert for Complete Directions  
For Animal Use Only  
Restricted Drug (California)—Use Only As Directed  
Not for Human Use

**zoetis**  
Distributed by:  
Zoetis Inc.,  
Kalamazoo, MI 49007

## PRINCIPAL DISPLAY PANEL - 100 Tablet Bottle Label

**Terramycin®**  
(oxytetracycline HCl)

**Scours Tablets**

Each tablet contains 250 mg of oxytetracycline HCl.

For use in beef and dairy calves

A broad-spectrum antibiotic for the control and treatment of the following diseases of beef and dairy calves caused by organisms sensitive to oxytetracycline: bacterial enteritis caused by *Salmonella typhimurium* and *Escherichia coli* (colibacillosis) and bacterial pneumonia (shipping fever complex, pasteurellosis) caused by *Pasteurella multocida*.

**Net Contents: 100 tablets**


NADA #11-060, Approved by FDA

30165401

**zoetis**

LOT  
EXP


3 01 6 5 4 0 1



P0 - UPC

0

until the animal returns to normal and for 24-48 hours after symptoms have subsided. Treatment should not exceed 4 consecutive days.



## Terramycin®

(oxytetracycline HCl)

### Scours Tablets


Each tablet contains 250 mg of oxytetracycline HCl.


For use in beef and dairy calves

A broad-spectrum antibiotic for the control and treatment of the following diseases of beef and dairy calves caused by organisms sensitive to oxytetracycline: bacterial enteritis caused by *Salmonella typhimurium* and *Escherichia coli* (colibacillosis) and bacterial pneumonia (shipping fever complex, pasteurellosis) caused by *Pasteurella multocida*.

**Net Contents: 100 tablets**

NADA #11-060, Approved by FDA





EYES LIKE THIS

THE TIME

↑

↓

Warnings: Discontinue treatment at least 7 days prior to slaughter. Not for use in lactating dairy cattle. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.

Precautions: Exceeding the recommended dosage level of 2 tablets per 100 lb of body weight every 12 hours, or administering at this recommended level for more than 4 consecutive days may result in antibiotic residues beyond the withdrawal time. If no improvement is observed after recommended treatment, diagnosis and susceptibility should be reexamined. Rarely do side reactions or allergic manifestations occur in calves treated with Terramycin. If any unusual reactions are noted, discontinue use of the drug immediately and call a veterinarian. Since bacteriostatic drugs may interfere with the bactericidal action of penicillin, it is advisable to avoid giving Terramycin in conjunction with penicillin.

Store Below 25°C (77°F)

Refer to Package Insert for Complete Directions For Animal Use Only

Restricted Drug (California)—Use Only As Directed

Not for Human Use

zoetis  
Distributed by:  
Zoetis Inc.  
Kalamazoo, MI 49007

## TERRAMYCIN SCOURS

oxytetracycline hydrochloride tablet

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:54771-1203
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYTETRACYCLINE HYDROCHLORIDE (UNII: 4U7K4N52ZM) (OXYTETRACYCLINE ANHYDROUS - UNII:SLF0D9077S)	OXYTETRACYCLINE ANHYDROUS	250 mg

### Product Characteristics

Color	YELLOW	Score	2 pieces
Shape	OVAL (Bolus)	Size	26mm
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54771-1203-1	24 in 1 BOTTLE		
2	NDC:54771-1203-2	100 in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA011060	06/03/1981	

**Labeler** - Zoetis Inc. (828851555)

Revised: 2/2018

Zoetis Inc.