

**INTERCEPTOR FLAVOR TABS- milbemycin oxime tablet**  
**Elanco US Inc.**

-----  
**Interceptor™**

(milbemycin oxime)

<b>INFORMATION FOR DOSING DOGS</b>
------------------------------------

The palatable once-a-month tablet that prevents heartworm disease, controls adult hookworm, and removes and controls adult roundworm and whipworm infections in dogs and puppies.

**Caution:** Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian. Keep this and all drugs out of the reach of children.

**Description:**

INTERCEPTOR is available in four tablet sizes in color-coded packages for oral administration to dogs and puppies. Each tablet is formulated to provide a minimum of 0.23 mg/lb (0.5 mg/kg) body weight of milbemycin oxime. Milbemycin oxime consists of the oxime derivatives of 5-didehydromilbemycins in the ratio of approximately 80% A<sub>4</sub> (C<sub>32</sub>H<sub>45</sub>NO<sub>7</sub>, MW 555.71) and 20% A<sub>3</sub> (C<sub>31</sub>H<sub>43</sub>NO<sub>7</sub>, MW 541.68).

<b>Package color</b>	<b>Milbemycin oxime tablet</b>
Brown	2.3 mg*
Green	5.75 mg
Yellow	11.5 mg
White	23.0 mg

\*for dogs only

**Indications:**

INTERCEPTOR is indicated for use in the prevention of heartworm disease caused by *Dirofilaria immitis*, the control of adult *Ancylostoma caninum* (hookworm), and the removal and control of adult *Toxocara canis* and *Toxascaris leonina* (roundworms) and *Trichuris vulpis* (whipworm) infections in dogs and in puppies four weeks of age or greater and two pounds body weight or greater.

**Dosage:**

INTERCEPTOR is given orally, once a month, at the recommended minimum dosage rate of 0.23 mg milbemycin oxime per pound of body weight (0.5 mg/kg).

**Recommended Dosage Schedule for Dogs**

<b>Body Weight</b>	<b>INTERCEPTOR</b>
2-10 lbs.	One tablet (2.3 mg)
11-25 lbs.	One tablet (5.75 mg)
26-50 lbs.	One tablet (11.5 mg)
51-100 lbs.	One tablet (23.0 mg)

Dogs over 100 lbs. are provided the appropriate combination of tablets.

**Administration:**

INTERCEPTOR is palatable and most dogs will consume the tablet willingly when offered by the owner. As an alternative, the dual-purpose tablet may be offered in food or administered as other tablet medications. Watch the dog closely following dosing to be sure the entire dose has been consumed. If it is not entirely consumed, redose once with the full recommended dose as soon as possible.

INTERCEPTOR must be administered monthly, preferably on the same date each month. The first dose should be administered within one month of the dog's first exposure to mosquitoes and monthly thereafter until the end of the mosquito season. If a dose is missed and a 30-day interval between dosing is exceeded, administer INTERCEPTOR immediately and resume the monthly dosing schedule.

If INTERCEPTOR replaces diethylcarbamazine (DEC) for heartworm prevention, the first dose must be given within 30 days after the last dose of DEC.

**Palatability:**

Palatability trials conducted in 244 dogs from 10 different U.S. veterinary practices demonstrated that INTERCEPTOR was willingly accepted from the owner by over 95% of dogs. The trial was comprised of dogs representing 60 different breeds and both sexes, with weights ranging from 2.1 lbs. to 143.3 lbs., and ages ranging from 8 weeks to 15 years.

**Precautions:**

Do not use in puppies less than four weeks of age or less than two pounds of body weight. Prior to initiation of the INTERCEPTOR treatment program, dogs should be tested for existing heartworm infections. Infected dogs should be treated to remove adult heartworms and microfilariae prior to initiating treatment with INTERCEPTOR. Mild, transient hypersensitivity reactions manifested as labored respiration, vomiting, salivation and lethargy, have been noted in some treated dogs carrying a high number of circulating microfilariae. These reactions are presumably caused by release of protein from dead or dying microfilariae.

**Adverse Reactions:**

The following adverse reactions have been reported following the use of INTERCEPTOR: Depression/lethargy, vomiting, ataxia, anorexia, diarrhea, convulsions, weakness and hypersalivation.

**Efficacy:**

INTERCEPTOR eliminates the tissue stage of heartworm larvae and the adult stage of hookworm (*Ancylostoma caninum*), roundworms (*Toxocara canis*, *Toxascaris leonina*) and whipworm (*Trichuris vulpis*) infestations when administered orally according to the recommended dosage schedule. The anthelmintic activity of milbemycin oxime is believed to be a result of interference with invertebrate neurotransmission.

**Safety:**

Milbemycin oxime has been tested safely in over 75 different breeds of dogs, including collies, pregnant females, breeding males and females, and puppies over two weeks of age. In well-controlled clinical field studies, 786 dogs completed treatment with milbemycin oxime. Milbemycin oxime was used safely in animals receiving frequently used veterinary products such as vaccines, anthelmintics, antibiotics, steroids, flea collars, shampoos and dips.

Two studies in heartworm-infected dogs were conducted which demonstrated mild, transient

hypersensitivity reactions in treated dogs with high microfilaremia counts (see Precautions for reactions observed). Safety studies in pregnant dogs demonstrated that high doses (1.5 mg/kg =3X) of milbemycin oxime given in an exaggerated dosing regimen (daily from mating through weaning), resulted in measurable concentrations of the drug in milk. Puppies nursing these females which received exaggerated dosing regimens demonstrated milbemycin-related effects. These effects were directly attributable to the exaggerated experimental dosing regimen. The product is normally intended for once-a-month administration only. Subsequent studies included using 3X daily from mating to one week before weaning and demonstrated no effects on the pregnant females or their litters. A second study where pregnant females were dosed once at 3X the monthly use rate either before, on the day of or shortly after whelping resulted in no effects on the puppies.

Some nursing puppies, at 2, 4, and 6 weeks of age, given greatly exaggerated oral milbemycin oxime doses (9.6 mg/kg = 19X) exhibited signs typified by tremors, vocalization and ataxia. These effects were all transient and puppies returned to normal within 24 to 48 hours. No effects were observed in puppies given the recommended dose of milbemycin oxime (0.5 mg/kg). This product has not been tested in dogs less than 1 kg weight.

A rising-dose safety study conducted in rough-coated collies, manifested a clinical reaction consisting of ataxia, pyrexia and periodic recumbency, in one of fourteen dogs treated with milbemycin oxime at 12.5 mg/kg (25X monthly use rate). Prior to receiving the 12.5 mg/kg dose (25X monthly use rate) on day 56 of the study, all animals had undergone an exaggerated dosing regimen consisting of 2.5 mg/kg milbemycin oxime (5X monthly use rate) on day 0, followed by 5.0 mg/kg (10X monthly use rate) on day 14 and 10.0 mg/kg (20X monthly use rate) on day 32. No adverse reactions were observed in any of the collies treated with this regimen up through the 10.0 mg/kg (20X monthly use rate) dose.

#### **How supplied:**

INTERCEPTOR is available in four tablet sizes (see Dosage section), formulated according to the weight of the dog. Each tablet size is available in color-coded packages of 6 or 12 tablets each, which are packaged 10 per display carton.

#### **Storage conditions:**

INTERCEPTOR should be stored at room temperature, between 59° and 77°F (15-25°C).

<b>INFORMATION FOR DOSING CATS</b>
------------------------------------

The palatable once-a-month tablet that prevents heartworm disease and removes adult roundworms and hookworms in cats and kittens.

**Caution:** Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian. Keep this and all drugs out of the reach of children.

#### **Description:**

INTERCEPTOR for Cats is available in three tablet sizes in color-coded packages for oral administration to cats and kittens. Each tablet is formulated to provide a minimum of 0.9 mg/lb (2.0 mg/kg) body weight of milbemycin oxime. Milbemycin oxime consists of the oxime derivatives of 5-didehydromilbemycins in the ratio of approximately 80% A<sub>4</sub> (C<sub>32</sub>H<sub>45</sub>NO<sub>7</sub>, MW 555.71) and 20% A<sub>3</sub> (C<sub>31</sub>H<sub>43</sub>NO<sub>7</sub>, MW 541.68).

#### **Indications:**

INTERCEPTOR for Cats is indicated for use in the prevention of heartworm disease caused by

*Dirofilaria immitis*, and the removal of adult *Ancylostoma tubaeforme* (hookworm) and *Toxocara cati* (roundworm) in cats and kittens six weeks of age or greater and 1.5 lbs. body weight or greater.

**Dosage:**

INTERCEPTOR for Cats is given orally, once a month, at the recommended minimum dosage rate of 0.9 mg milbemycin oxime per pound of body weight (2.0 mg/kg).

**Recommended Dosage Schedule for Cats**

Body Weight	INTERCEPTOR
1.5 to 6 lbs.	One tablet (5.75 mg)
6.1-12 lbs.	One tablet (11.5 mg)
12.1-25 lbs.	One tablet (23.0 mg)

Cats over 25 lbs. are provided the appropriate combination of tablets.

**Administration:**

INTERCEPTOR for Cats is palatable and may be offered by the owner as a treat. As an alternative, the tablet may be offered in food or administered as other tablet medications. The tablets can be broken for ease of administration. Watch the cat closely following dosing to be sure the entire dose has been consumed. If it is not entirely consumed, redose once with the full recommended dose as soon as possible.

INTERCEPTOR for Cats must be administered monthly, preferably on the same date each month. The first dose should be administered within one month of the cat's first exposure to mosquitoes and monthly thereafter until the end of the mosquito season. If a dose is missed and a 30-day interval between dosing is exceeded, administer INTERCEPTOR for Cats immediately and resume the monthly dosing schedule. It is recommended that cats be tested for existing heartworm infection prior to starting treatment with INTERCEPTOR for Cats (see Precautions).

**Palatability:**

Palatability trials conducted in 72 cats demonstrated that cats were successfully dosed with INTERCEPTOR for Cats by the owner when they either offered the tablet as a treat, placed the tablet in the cat's mouth or placed the tablet in the cat's food in 72% of cats. About 16% of the cats were dosed manually and 13% of the cats were not successfully dosed according to the protocol.

**Precautions:**

Do not use in kittens less than six weeks of age or less than 1.5 lbs. body weight. Safety in heartworm-positive cats has not been established. Safety in breeding, pregnant, and lactating queens and breeding toms has not been established.

**Efficacy:**

INTERCEPTOR for Cats eliminate the tissue stage of heartworm larvae and hookworm (*Ancylostoma tubaeforme*) and roundworm (*Toxocara cati*) infections when administered orally according to the recommended dosage schedule. The anthelmintic activity of milbemycin oxime is believed to be a result of interference with invertebrate neuro- transmission.

**Safety:**

Milbemycin oxime has been tested safely in over 8 different breeds of cats. In well-controlled clinical field studies 141 cats completed treatment with milbemycin oxime. Milbemycin oxime was used safely in animals receiving frequently used veterinary products such as vaccines, anthelmintics, anesthetics, antibiotics, steroids, flea collars, shampoos and dips.

Safety studies were conducted in young cats and kittens and doses of 1X, 3X and 5X the minimum recommended dose of 2.0 mg/kg demonstrated no drug-related effects. Tolerability studies at exaggerated doses of 10X also demonstrated no drug-related adverse effects in kittens and young adult cats.

**How supplied:**

INTERCEPTOR for Cats is available in three tablet sizes (see Dosage section), formulated according to the weight of the cat. Each tablet size is available in color-coded packages of 6 or 12 tablets each, which are packaged 10 per display carton.

**Storage conditions:**

INTERCEPTOR for Cats should be stored at room temperature, between 59° and 77°F (15-25°C).

Manufactured for: Elanco US Inc.

Greenfield, IN 46140, USA

NADA #140-915, Approved by FDA

PA100030AMX

PCR-750-09204

Elanco, Interceptor and the diagonal bar are trademarks owned or licensed by Eli Lilly and Company, its subsidiaries or affiliates.

**Principal Display Panel - Interceptor 2.3 mg Box Label****Interceptor™**

(milbemycin oxime)

Product # 616159



## Principal Display Panel - Interceptor 2.3 mg Carton Label

**Interceptor™**

(milbemycin oxime)

**BROAD SPECTRUM  
PARASITICIDE**

Contains once-a-month flavored  
tablets to prevent **heartworm** disease,  
control adult **hookworm** infection,  
and remove and control adult  
**roundworms** and **whipworms** in  
dogs and puppies.

6  
PACK

For dogs 2-10 lbs.

Net contents: 6 tablets. 2.3 mg each.

Product #616159 NADA #140-915, Approved by FDA.

**Keep this and all drugs out of the reach of children.**

**Caution:** Federal (USA) law restricts this drug to use  
by or on the order of a licensed veterinarian.

**Elanco™**



Recommended for dogs and puppies  
**9** PACK  
 2-10 lbs.

LOT  
 dX3

Veterinarian's imprint here

**Interceptor™**  
 (milbemycin oxime)

Enclosed insert describes use, directions and precautions to follow when administering INTERCEPTOR.  
 Place treatment reminder stickers on your calendar for each of the months following the date of the initial treatment.  
 If you have any questions concerning the use of this product, contact your veterinarian.  
 To report adverse effects, access medical information, or obtain additional product information call 1-888-545-5973  
 www.InterceptorPet.com  
 Product of Japan  
 Manufactured for: Elanco US Inc. Greenfield, IN 46140, USA  
**Storage Conditions:** INTERCEPTOR should be stored at room temperature, between 59° and 77°F (15°-25°C).



Elanco, Interceptor and the diagonal bar are trademarks owned or licensed by Eli Lilly and Company, its subsidiaries or affiliates.



SH000030A PER-710-0902

Recommended for dogs and puppies  
**2-10 lbs.**

**Interceptor™**  
 (milbemycin oxime)

**6** PACK

FEB MAR APR MAY JUN  
 Give Monthly  
 JUL  
 JAN DEC NOV OCT SEP AUG

**Interceptor™**  
 (milbemycin oxime)

**BROAD SPECTRUM PARASITICIDE**

Contains once-a-month flavored tablets to prevent **heartworm** disease, control adult **hookworm** infection, and remove and control adult **roundworms** and **whipworms** in dogs and puppies.

**6** PACK

For dogs **2-10 lbs.**

Net contents: 6 tablets, 2.3 mg each.  
 Product #616159, NADA #140-995, Approved by FDA.  
**Keep this and all drugs out of the reach of children.**  
 Caution: Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

**6** PACK



Recommended for dogs and puppies  
**2-10 lbs.**

**Interceptor™**  
 (milbemycin oxime)

7 16688 16159 8



**Principal Display Panel - Interceptor 2.3 mg Blister Label**

**INTERCEPTOR™**  
 (milbemycin oxime)

**For dogs**  
**2-10 lbs.**

LOT XXXXXXXX

EXPIRATION 00/00

2.3 mg

**Elanco**

**INTERCEPTOR™**  
(milbemycin oxime)

**For dogs**  
**2-10 lbs.**

LOT **XXXXXXXX**  
EXPIRATION **00/00**

**2.3 mg**

**Elanco**

Jan. or July



**Principal Display Panel - Interceptor 5.75 mg Box Label**

**Interceptor™**

(milbemycin oxime)

Product # 616162





## Principal Display Panel - Interceptor 5.75 mg Carton Label

**Interceptor™**

(milbemycin oxime)

### **BROAD SPECTRUM PARASITICIDE**

Contains once-a-month flavored tablets to prevent **heartworm** disease, control adult **hookworm** infection, and remove and control adult **roundworms** and **whipworms** in dogs and puppies, and to prevent heartworm disease and remove adult hookworms and roundworms in cats and kittens.

6  
PACK

For dogs 11-25 lbs.

For cats 1.5-6 lbs

Net contents: 6 tablets. 5.75 mg each.

Product #616160 NADA #140-915, Approved by FDA.

**Keep this and all drugs out of the reach of children.**

**Caution:** Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

**Elanco™**



Recommended for  
dogs and puppies  
11-25 lbs.  
Recommended for  
cats and kittens  
1.5-6 lbs.  
**6**  
PACK

LOT  
dX3

Veterinarian's imprint here

# Interceptor™ (milbemycin oxime)

Enclosed insert describes use, directions and precautions to follow when administering INTERCEPTOR. Place treatment reminder stickers on your calendar for each of the months following the date of the initial treatment.

If you have any questions concerning the use of this product, contact your veterinarian. To report adverse effects, access medical information, or obtain additional product information call 1-888-545-5973

www.InterceptorPet.com

Product of Japan

Manufactured for: Elanco US Inc. Greenfield, IN 46140, USA

**Storage Conditions:** INTERCEPTOR should be stored at room temperature, between 59° and 77°F (15°-25°C).

Dogs



Cats



Elanco, Interceptor and the diagonal bar are trademarks owned or licensed by Eli Lilly and Company, its subsidiaries or affiliates.



SH00025NMA PCR-710-09206

Recommended for dogs and puppies  
11-25 lbs.  
Recommended for cats and kittens  
1.5-6 lbs.

# Interceptor™ (milbemycin oxime)

**6**  
PACK

FEB MAR APR MAY JUN  
JAN DEC NOV OCT SEP AUG  
Give Monthly

# Interceptor™ (milbemycin oxime)

## BROAD SPECTRUM PARASITICIDE

Contains once-a-month flavored tablets to prevent **heartworm** disease, control adult **hookworm** infection, and remove and control adult **roundworms** and **whipworms** in dogs and puppies, and to prevent heartworm disease and remove adult hookworms and roundworms in cats and kittens.

**6**  
PACK

For dogs 11-25 lbs.

For cats 1.5-6 lbs.

Net contents: 6 tablets, 5.75 mg each.  
Product 0501948 NADA 0140-915. Approved by FDA.  
Keep this and all drugs out of the reach of children.  
Caution: Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

Recommended for dogs and puppies  
11-25 lbs.  
Recommended for cats and kittens  
1.5-6 lbs.



**6**  
PACK



## Principal Display Panel - Interceptor 5.75 mg Blister Label

INTERCEPTOR™  
(milbemycin oxime)

**For dogs 11-25 lbs. and  
for cats 1.5-6 lbs.**

LOT XXXXXXXX

EXPIRATION 00/00

5.75 mg

**Elanco**

# INTERCEPTOR™ (milbemyacin oxime)

**For dogs 11-25 lbs. and  
for cats 1.5-6 lbs.**

Jan. or July

LOT  
EXPIRATION  
5.75 mg



## **Elanco**

**Principal Display Panel - Interceptor 11.5 mg Box Label**

**Interceptor™**  
(milbemyacin oxime)  
Product # 616160

 **Interceptor™**  
(milbemyacin oxime)

Product #616162

**Elanco**

**6**  
PACK

**For dogs 51-100 lbs.  
For cats 12.1-25 lbs.**

 **Interceptor™**  
(milbemyacin oxime)

**Elanco**

Product #616162



Manufactured for:  
Elanco US Inc.  
Greenfield, IN 46040, USA

Product of Japan

To report adverse effects, access medical  
information, or obtain additional product  
information call 1-888-545-5973

[www.InterceptorPet.com](http://www.InterceptorPet.com)

Elanco, Interceptor and the diagonal bar  
are trademarks owned or licensed by  
Eli Lilly and Company, its subsidiaries  
or affiliates.

**Storage Conditions:**  
INTERCEPTOR should be  
stored at room temperature,  
between 59° and 77°F (15-25°C).  
SH00027AMB  
PCR-720-09213

## Principal Display Panel - Interceptor 11.5 mg Carton Label

**Interceptor™**

(milbemycin oxime)

### **BROAD SPECTRUM PARASITICIDE**

Contains once-a-month flavored tablets to prevent **heartworm** disease, control adult **hookworm** infection, and remove and control adult **roundworms** and **whipworms** in dogs and puppies, and to prevent heartworm disease and remove adult hookworms and roundworms in cats and kittens.

6  
PACK

For dogs 26-50 lbs.

For cats 6.1-12 lbs.

Net contents: 6 tablets. 11.5 mg each.

Product #616161 NADA #140-915, Approved by FDA.

**Keep this and all drugs out of the reach of children.**

**Caution:** Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

**Elanco™**



Recommended for  
dogs and puppies  
51-100 lbs.  
Recommended for  
cats and kittens  
12.1-25 lbs.  
PACK  
9

LOT  
EXP

Veterinarian's imprint here

# Interceptor™ (milbemycin oxime)

Enclosed insert describes use, directions and precautions to follow when administering INTERCEPTOR. Place treatment reminder stickers on your calendar for each of the months following the date of the initial treatment.

If you have any questions concerning the use of this product, contact your veterinarian. To report adverse effects, access medical information, or obtain additional product information call 1-888-545-5973

www.InterceptorPet.com

Product of Japan

Manufactured for: Elanco US Inc, Greenfield, IN 46140, USA

**Storage Conditions:** INTERCEPTOR should be stored at room temperature, between 59° and 77°F (15°-25°C).

Dogs



Cats



Elanco, Interceptor and the diagonal bar are trademarks owned or licensed by Eli Lilly and Company, its subsidiaries or affiliates.



SH10027AMA PCR-710-0922

Recommended for dogs and puppies  
51-100 lbs.  
Recommended for cats and kittens  
12.1-25 lbs.

Interceptor™  
(milbemycin oxime)

PACK  
6

# Interceptor™ (milbemycin oxime)



## BROAD SPECTRUM PARASITICIDE

Contains once-a-month flavored tablets to prevent heartworm disease, control adult hookworm infection, and remove and control adult roundworms and whipworms in dogs and puppies, and to prevent heartworm disease and remove adult hookworms and roundworms in cats and kittens.

PACK  
6

For dogs 51-100 lbs.  
For cats 12.1-25 lbs.

Net contents: 6 tablets, 23.0 mg each.  
Product #630162 NADA 9140-915. Approved by FDA.  
Keep this and all drugs out of the reach of children.  
Caution: Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

Recommended for dogs and puppies  
51-100 lbs.  
Recommended for cats and kittens  
12.1-25 lbs.

Interceptor™  
(milbemycin oxime)

PACK  
6



### Principal Display Panel - Interceptor 11.5 mg Blister Label

INTERCEPTOR™  
(milbemycin oxime)

**For dogs 26-50 lbs. and  
for cats 6.1-12 lbs.**

LOT

EXPIRATION

11.5 mg

**Elanco**

# INTERCEPTOR™

(milbemyacin oxime)

**For dogs 51-100 lbs. and  
for cats 12.1-25 lbs.**

Jan. or July

LOT  
EXPIRATION



23.0 mg

## Elanco

Principal Display Panel - Interceptor 23 mg Box Label

**Interceptor™**

(milbemyacin oxime)

Product # 616161

 **Interceptor™**  
(milbemyacin oxime)

Product # 616161

**Elanco**

**6**  
PACK

**For dogs 26-50 lbs.**

**For cats 6.1-12 lbs.**

 **Interceptor™**  
(milbemyacin oxime)

**Elanco**

Product # 616161



Manufactured for:  
Elanco US Inc.  
Greenfield, IN 46040, USA

Product of Japan

To report adverse effects, access medical  
information, or obtain additional product  
information call 1-888-545-5973

[www.InterceptorPet.com](http://www.InterceptorPet.com)

Elanco, Interceptor and the diagonal bar  
are trademarks owned or licensed by  
El Lilly and Company, its subsidiaries  
or affiliates.

**Storage Conditions:**  
INTERCEPTOR should be  
stored at room temperature,  
between 59° and 77°F (15-25°C).  
SH100025AMB  
PCR-720-09210

## Principal Display Panel - Interceptor 23 mg Carton Label

**Interceptor™**

(milbemycin oxime)

### **BROAD SPECTRUM PARASITICIDE**

Contains once-a-month flavored tablets to prevent **heartworm** disease, control adult **hookworm** infection, and remove and control adult **roundworms** and **whipworms** in dogs and puppies, and to prevent heartworm disease and remove adult hookworms and roundworms in cats and kittens.

6  
PACK

For dogs 51-100 lbs.

For cats 12.1-25 lbs

Net contents: 6 tablets. 23.0 mg each.

Product #616162 NADA #140-915, Approved by FDA.

**Keep this and all drugs out of the reach of children.**

**Caution:** Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

**Elanco™**





Recommended for  
dogs and puppies  
26-50 lbs.  
Recommended for  
cats and kittens  
6.1-12 lbs.

**9**  
PACK

LOT  
EXP

Veterinarian's imprint here

# Interceptor™ (milbemycin oxime)

Enclosed insert describes use, directions and precautions to follow when administering INTERCEPTOR. Place treatment reminder stickers on your calendar for each of the months following the date of the initial treatment.

If you have any questions concerning the use of this product, contact your veterinarian. To report adverse effects, access medical information, or obtain additional product information call 1-888-545-5973

www.InterceptorPet.com

Product of Japan

Manufactured for: Elanco US Inc. Greenfield, IN 46140, USA

**Storage Conditions:** INTERCEPTOR should be stored at room temperature, between 59° and 77°F (15°-25°C).

Dogs



Cats



Elanco, Interceptor and the diagonal bar are trademarks owned or licensed by Eli Lilly and Company, its subsidiaries or affiliates.



SH10025AMA PCR-710-09209

Recommended for dogs and puppies  
**26-50 lbs.**  
Recommended for cats and kittens  
**6.1-12 lbs.**

**6**  
PACK

# Interceptor™ (milbemycin oxime)

**BROAD SPECTRUM  
PARASITICIDE**

Contains once-a-month flavored tablets to prevent **heartworm** disease, control adult **hookworm** infection, and remove and control adult **roundworms** and **whipworms** in dogs and puppies, and to prevent heartworm disease and remove adult hookworms and roundworms in cats and kittens.

**6**  
PACK

**For dogs 26-50 lbs.  
For cats 6.1-12 lbs.**

Net contents: 6 tablets, 11.5 mg each.  
Product #030161 NADA #140-915. Approved by FDA.  
Keep this and all drugs out of the reach of children.  
Caution: Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

**6**  
PACK

Recommended for dogs and puppies  
**26-50 lbs.**  
Recommended for cats and kittens  
**6.1-12 lbs.**

**6**  
PACK

FEB MAR APR MAY JUN JUL  
JAN DEC NOV OCT SEP AUG

Give Monthly



## Principal Display Panel - Interceptor 23 mg Blister Label

INTERCEPTOR™

(milbemycin oxime)

**For dogs 51-100 lbs. and  
for cats 12.1-25 lbs.**

LOT

EXPIRATION

23 mg

**Elanco**



# INTERCEPTOR™

(milbemycin oxime)

For dogs 26-50 lbs. and  
for cats 6.1-12 lbs.

Jan. or July

LOT  
EXPIRATION



11.5 mg

**Elanco**

## INTERCEPTOR FLAVOR TABS

milbemycin oxime tablet

### Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:58198-2011
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Milbemycin Oxime (UNII: 0502PUN0GT) (Milbemycin Oxime - UNII:0502PUN0GT)	Milbemycin Oxime	2.3 mg

### Inactive Ingredients

Ingredient Name	Strength
Lactose Monohydrate (UNII: EWQ57Q8I5X)	
Methyl Alcohol (UNII: Y4S76JWI15)	
Hydrogenated soybean oil (UNII: A2M91M918C)	
Castor Oil (UNII: D5340Y2I9G)	
croscarmellose sodium (UNII: M28OL1HH48)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Magnesium Stearate (UNII: 70097M6I30)	

### Product Characteristics

Color	brown (Brown)	Score	no score
Shape	ROUND (Round)	Size	6mm
Flavor	MEAT (MEAT)	Imprint Code	RN;CGV
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58 198-2011-1	1 in 1 BOX		
1		6 in 1 BLISTER PACK		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA140915	07/21/1994	

## INTERCEPTOR FLAVOR TABS

milbemycin oxime tablet

### Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:58 198-20 12
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Milbemycin Oxime (UNII: 0502PUN0GT) (Milbemycin Oxime - UNII:0502PUN0GT)	Milbemycin Oxime	5.75 mg

### Inactive Ingredients

Ingredient Name	Strength
Lactose Monohydrate (UNII: EWQ57Q8I5X)	
Methyl Alcohol (UNII: Y4S76JWI15)	
Hydrogenated soybean oil (UNII: A2M91M918C)	
Castor Oil (UNII: D5340Y2I9G)	
croscarmellose sodium (UNII: M28OL1HH48)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Magnesium Stearate (UNII: 70097M6I30)	

### Product Characteristics

Color	brown (Brown)	Score	no score
Shape	ROUND (Round)	Size	8mm
Flavor	MEAT (MEAT)	Imprint Code	GO;CGV
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58 198-2012-1	1 in 1 BOX		

1	6 in 1 BLISTER PACK		
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NADA	NADA140915	07/21/1994	

**INTERCEPTOR FLAVOR TABS**  
milbemycin oxime tablet

<b>Product Information</b>			
<b>Product Type</b>	PREScription ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:58 198 -20 13
<b>Route of Administration</b>	ORAL		

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
Milbemycin Oxime (UNII: 0502PUN0GT) (Milbemycin Oxime - UNII:0502PUN0GT)	Milbemycin Oxime	11.5 mg

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
Lactose Monohydrate (UNII: EWQ57Q8I5X)	
Methyl Alcohol (UNII: Y4S76JWI15)	
Hydrogenated soybean oil (UNII: A2M91M918C)	
Castor Oil (UNII: D5340Y2I9G)	
croscarmellose sodium (UNII: M28OL1HH48)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Magnesium Stearate (UNII: 70097M6I30)	

<b>Product Characteristics</b>			
<b>Color</b>	brown (Brown)	<b>Score</b>	no score
<b>Shape</b>	ROUND (Round)	<b>Size</b>	10 mm
<b>Flavor</b>	MEAT (MEAT)	<b>Imprint Code</b>	FKF;CGV
<b>Contains</b>			

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:58 198 -20 13-1	1 in 1 BOX		
1		6 in 1 BLISTER PACK		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA140915	07/21/1994	

## INTERCEPTOR FLAVOR TABS

milbemycin oxime tablet

### Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:58198-2014
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Milbemycin Oxime (UNII: 0502PUN0GT) (Milbemycin Oxime - UNII:0502PUN0GT)	Milbemycin Oxime	23.0 mg

### Inactive Ingredients

Ingredient Name	Strength
Lactose Monohydrate (UNII: EWQ57Q8I5X)	
Methyl Alcohol (UNII: Y4S76JWI15)	
Hydrogenated soybean oil (UNII: A2M91M918C)	
Castor Oil (UNII: D5340Y2I9G)	
croscarmellose sodium (UNII: M28OL1HH48)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Magnesium Stearate (UNII: 70097M6I30)	

### Product Characteristics

Color	brown (Brown)	Score	no score
Shape	ROUND (Round)	Size	14mm
Flavor	MEAT (MEAT)	Imprint Code	FRF;CGV
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58198-2014-1	1 in 1 BOX		
1		6 in 1 BLISTER PACK		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA140915	07/21/1994	

**Labeler** - Elanco US Inc. (966985624)

**Establishment**

Name	Address	ID/FEI	Business Operations
Packaging Coordinators, Inc.		078525133	PACK

Revised: 1/2019

Elanco US Inc.