

CONTROLS  FLEAS  TICKS

Spectra SHIELD™

It's easy! No mess, no stress.

Just clip 'n go.



Collar Attached MEDALLION

For Control of
Ticks & Fleas on Dogs

FOR UP TO

4 MONTHS

FOR USE ON DOGS WEIGHING

OVER 56 LBS

ACTIVE INGREDIENTS:

Zetacypermethrin*10%

Piperonyl Butoxide
(butylcarbityl) (6-propylpiperonyl)
ether and related compounds... .20%

OTHER INGREDIENTS70%

TOTAL100%

* S-Cyano (3-phenoxyphenyl) methyl
(±) cis/trans 3-(2,2-dichloroethenyl)-2,
2 dimethylcyclopropane-carboxylate**

** Cis/trans isomer ratio: max. 55% (±) cis
and min. 45% (±) trans

KEEP OUT OF
REACH OF CHILDREN

CAUTION

SEE BACK FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

Medallion
shown
actual size

NET WT 8 GRAMS (0.28 OZ) • CONTENTS ONE MEDALLION

Spectra SHIELD™

Spectra SHIELD™ medallion is a collar medallion that contains a powerful synergized pyrethroid insecticide that kills adult fleas and all blood-feeding stages of ticks, yet exhibits very low toxicity to animals and humans.

IT'S EASY!

**NO MESS, NO STRESS.
JUST CLIP 'N GO.**

**READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. May be harmful if swallowed or absorbed through the skin. **Avoid contact** with skin, eyes or clothing. **Wash thoroughly** with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is **extremely** toxic to fish and aquatic organisms, including fish and invertebrates. Do not contaminate water by disposal of used collar medallion. Use this product only as specified on this label.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON PUPPIES LESS THAN 6 MONTHS OF AGE.

For dogs weighing 56 pounds or greater, use one 8 gram medallion. This 8 gram product may only be used on dogs weighing 56 pounds or greater. May not be used on dogs weighing 55 pounds or less. This product takes a few days to show maximum efficacy.


Remove medallion from package and attach to "D-ring" on existing collar as illustrated in Steps 1 through 3.



STEP ONE. Open clasp and slide both halves around "D" ring on collar.



STEP TWO. Close clasp and press together until it clicks into place.



STEP THREE. When properly closed both halves should line up over each other.

The completed medallion must swing freely from the "D-ring" on the collar. Consult a veterinarian before using this product on debilitated, aged or medicated animals. If used on pregnant or nursing dogs, do not replace medallion until puppies are at least 6 weeks old. Sensitivity may occur after using ANY pesticide product for pets. Any pesticidal collar or collar attachment may irritate some animals. If irritation continues, remove the product from the animal. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. As the Spectra SHIELD™ medallion is depleted of insecticide, ticks and fleas may be again noticed on your pet, indicating it is time to **replace the attachment** or replace the attachment after 4 months, whichever comes first. **DO NOT USE ON CATS.** The safety of this product has not been determined on cats.



FIRST AID

This product contains **zetacypermethrin**, a pyrethroid insecticide, and piperonyl butoxide, **technical**, a mixed-function oxidase inhibitor.

If swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If on skin

- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-855-777-0658 for emergency medical treatment information.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool place in original container, away from direct sunlight.

PESTICIDE DISPOSAL: Wrap used product in a plastic bag or several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse bag. Discard bag in trash, or offer for recycling, if available.

NOTICE OF WARRANTY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, PEAK MARKETING MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of collar medallion only.

Distributed by Peak Marketing
P.O. Box 279

Blue Springs, MO 64013

EPA Reg. No. 39039-14-89400

EPA Est. No. 39039-WY-01

ISS13XB06



CONTROLS



FLEAS



TICKS

Spectra SHIELD™

It's easy! No mess, no stress.

Just clip 'n go.



Collar
Attached
MEDALLION

FOR USE ON DOGS
WEIGHING

30 TO 55 LBS

Medallion
shown
actual size

ACTIVE INGREDIENTS:

Zetacypermethrin*	10%
Piperonyl Butoxide (butylcarbityl) (6-propylpiperonyl) ether and related compounds	20%
OTHER INGREDIENTS	70%
TOTAL	100%

*S-Cyano (3-phenoxyphenyl) methyl
(±) cis/trans 3-(2,2-dichloroethenyl)-2,
2 dimethylcyclopropane-carboxylate**

**Cis/trans isomer ratio: max. 55% (±) cis
and min. 45% (±) trans

KEEP OUT OF
REACH OF CHILDREN

CAUTION

SEE BACK FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

For Control of Ticks & Fleas

ON DOGS FOR UP TO 4 MONTHS

NET WT 6 GRAMS (0.21 OZ) • CONTENTS ONE MEDALLION

Spectra SHIELD™

Spectra SHIELD™ medallion is a collar medallion that contains a powerful synergized pyrethroid insecticide that kills adult fleas and all blood-feeding stages of ticks, yet exhibits very low toxicity to animals and humans.

IT'S EASY!

**NO MESS, NO STRESS.
JUST CLIP 'N GO.**

**READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. May be harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is **extremely** toxic to fish and aquatic organisms, including fish and invertebrates. Do not contaminate water by disposal of used collar medallion. Use this product only as specified on this label.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON PUPPIES LESS THAN 6 MONTHS OF AGE.

For dogs weighing 30–55 pounds, use one 6 gram medallion. This 6 gram product may only be used on dogs weighing 30 to 55 pounds. May not be used on dogs weighing less than 30 pounds or greater than 55 pounds. This product takes a few days to show maximum efficacy.

Remove medallion from package and attach to "D-ring" on existing collar as illustrated in Steps 1 through 3.



STEP ONE. Open clasp and slide both halves around "D" ring on collar.



STEP TWO. Close clasp and press together until it clicks into place.



STEP THREE. When properly closed both halves should line up over each other.

The completed medallion must swing freely from the "D-ring" on the collar. Consult a veterinarian before using this product on debilitated, aged or medicated animals. If used on pregnant or nursing dogs, do not replace medallion until puppies are at least 6 weeks old. Sensitivity may occur after using ANY pesticide product for pets. Any pesticidal collar or collar attachment may irritate some animals. If irritation continues, remove the product from the animal. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. As the Spectra SHIELD™ medallion is depleted of insecticide, ticks and fleas may be again noticed on your pet, indicating it is time to replace the attachment or replace the attachment after 4 months, whichever comes first. **DO NOT USE ON CATS.** The safety of this product has not been determined on cats.



FIRST AID

This product contains **zetacypermethrin**, a pyrethroid insecticide, and **piperonyl butoxide**, technical, a mixed-function oxidase inhibitor.

If swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If on skin

- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product **container or label with you** when calling a poison control center or doctor, or going for treatment. You may also call 1-855-777-0658 for emergency medical treatment information.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool place in original container, away from direct sunlight.

PESTICIDE DISPOSAL: Wrap used product in a plastic bag or several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse bag. Discard bag in trash, or offer for recycling, if available.

NOTICE OF WARRANTY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, PEAK MARKETING MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of collar medallion only.

Distributed by Peak Marketing
P.O. Box 279

Blue Springs, MO 64013

EPA Reg. No. 39039-14-89400

EPA Est. No. 39039-WY-01

ISS13XB06



7 45801 01138 0

CONTROLS  FLEAS  TICKS

Spectra SHIELD™

It's easy! No mess, no stress.

Just clip 'n go.



Medallion shown actual size

ACTIVE INGREDIENTS:

Zetacypermethrin*10%
Piperonyl Butoxide (butylcarbityl) (6-propylpiperonyl) ether and related compounds	...20%
OTHER INGREDIENTS70%
TOTAL100%

* S-Cyano (3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl)-2,2 dimethylcyclopropane-carboxylate**

** Cis/trans isomer ratio: max. 55% (±) cis and min. 45% (±) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK FOR ADDITIONAL PRECAUTIONARY STATEMENTS

For Control of Ticks & Fleas ON DOGS

FOR UP TO 4 MONTHS

NET WT 4 GRAMS (0.14 OZ) • CONTENTS ONE MEDALLION

Spectra SHIELD™

Spectra SHIELD™ medallion is a collar medallion that contains a powerful synergized pyrethroid insecticide that kills adult fleas and all blood-feeding stages of ticks, yet exhibits very low toxicity to animals and humans.

IT'S EASY!

**NO MESS, NO STRESS.
JUST CLIP 'N GO.**

**READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. May be harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is **extremely** toxic to fish and aquatic organisms, including fish and invertebrates. Do not contaminate water by disposal of used collar medallion. Use this product only as specified on this label.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON PUPPIES LESS THAN 6 MONTHS OF AGE.

For dogs weighing 14–29 pounds, use one 4 gram medallion. This 4 gram product may only be used on dogs weighing between 14 and 29 pounds. May not be used on dogs weighing less than 14 pounds or greater than 29 pounds. This product takes a few days to show maximum efficacy.

Remove medallion from package and attach to "D-ring" on existing collar as illustrated in Steps 1 through 3.



STEP ONE. Open clasp and slide both halves around "D" ring on collar.



STEP TWO. Close clasp and press together until it clicks into place.



STEP THREE. When properly closed both halves should line up over each other.

The completed medallion must swing freely from the "D-ring" on the collar. Consult a veterinarian before using this product on debilitated, aged or medicated animals. If used on pregnant or nursing dogs, do not replace medallion until puppies are at least 6 weeks old. Sensitivity may occur after using ANY pesticide product for pets. Any pesticidal collar or collar attachment may irritate some animals. If irritation continues, remove the product from the animal. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. As the Spectra SHIELD™ medallion is depleted of insecticide, ticks and fleas may be again noticed on your pet, indicating it is time to **replace** the attachment or replace the attachment after 4 months, whichever comes first. **DO NOT USE ON CATS.** The safety of this product has not been determined on cats.



FIRST AID

This product contains **zetacypermethrin**, a pyrethroid insecticide, and **piperonyl butoxide**, technical, a mixed-function oxidase inhibitor.

If swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If on skin

- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-855-777-0658 for emergency medical treatment information.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool place in original container, away from direct sunlight.

PESTICIDE DISPOSAL: Wrap used product in a plastic bag or several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse bag. Discard bag in trash, or offer for recycling, if available.

NOTICE OF WARRANTY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, PEAK MARKETING MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of collar medallion only.

Distributed by Peak Marketing
P.O. Box 279
Blue Springs, MO 64013
EPA Reg. No. 39039-14-89400
EPA Est. No. 39039-WY-01
ISS13XB06

