



## SMALL DOG

FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER WEIGHING 5-10 LBS



91384-3 Provecta Advanced for Dogs (5-10 lbs) 20161222 31 91384 .pdf

ADVANCED ス

MONTHS' SUPPLY

FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER, WEIGHING 5-10 LBS

> SMALL DOG



WARNING

**PROVECTA** 

**SMALL DOG** 5-10 LBS **REPELS AND KILLS** TICKS, FLEAS AND MOSQUITOS.



**KILLS & REPELS** 

TICKS

KEEP OUT OF REACH OF CHILDREN

Convenient, easy-to-apply monthly topical solution. Fragrance free,

See back panel for Precautionary Statements.

Storage and Disposal, and First Aid Information

See package insert for Directions for Use.

ADIIIT FLEAS 20THI020M

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies and lice.



FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE OR OLDER, WEIGHING 5-10 LBS

MONTHS SUPPLY

PRC

 $\ll$ 

ADVANCED

DOG



Net Contents: 0.056 fl. oz. 4 applicators each containing 0.014 fl.oz (0.4ml.)

WATERPROOF

### **PROWECTA**<sup>\*\*</sup> ADVANCED FOR DOGS

Monthly Topical Treatment and Prevention of Ticks, Fleas, Mosquitos, Biting Flies, and Lice.

## SMALL DOG FOR USE ONLY ON DOGS AND PUPPIES 7 WEEKS OF AGE AND OLDER AND WEIGHING 5-10 LBS.

**READ THE ENTIRE LABEL BEFORE EACH USE** 

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eve injury. Do not aet in eves or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause alleraic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated dothing before reuse.

#### HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than doas. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veteringright before using this or any other product.

#### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

#### Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-855-844-4375.

CAP IM Supply. Inc. 2825 E. Cottonwood Pkwy, Suite 500, Salt Lake City, Utah 84121

# CONTAINS THE SAME ACTIVE INGREDIENTS FOUND IN K9 ADVANTIX II Provecta Advanced is not manufactured by or distributed by Boyer Health Care LLC. K9 Advanțix II is a registered trademark of Raver HeathCare IIC

#### **5 WAY PROTECTION AGAINST FLEAS, TICKS, BITING FLIES, MOSQUITOS AND LICE**

- Convenient, easy to apply topical solution
- Long-Lasting, Waterproof
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of Ehrlichiosis), and Lone Star ticks (vector of Ehrlichiosis) for up to four weeks
- Repels and kills all life stages of fleas
- One treatment prevents further fleg infestations for a month Kills flegs within 12 hours of application
- Prevents reinfestations by killing adult fleas before they ay eags Prevents development of fleas, flea eaas, puppe and larvae for a month
- Effectively targets all life stages of fleas and ticks
- Treatment with Provecta Advanced For Dogs rapidly kills fleas and may reduce the incidence of Flea Alleraic Dermatitis (FAD) · Repels and kills mosquitos for up to four weeks
- Repels and kills mosauitos often before they have a chance to take a blood meal
- Repels bothersome biting flies
- Kills chewing lice
- Remains effective following bathing and/or swimming



For consumer questions call 1-888-261-4657 For medical emergencies call 1-855-844-4375

> EPA Est. No. 89609-FL-001 EPA Reg. No. 91384-3

MONTHS'

SUPPLY

ACTIVE INGREDIENTS: % BY WEIGH

OTHER INGREDIENTS ..... 46.76%

\*cis/trans ratio: max 55% (±) cis and

8.80%

44.00%

0.44%

...... 100.00%

Imidadoprid

Pyriproxyfen

min 45% (±) trans

TOTAL

Permethrin



**KILLS & REPELS KILLS & REPELS** 



 ACTIVE INGREDIENTS
 % BY WEIGHT

 IMIDACLOPRID
 8.80%

 PERMETHRIN\*
 44.00%

 PYRIPROXYFEN
 0.44%

 OTHER INGREDIENTS
 46.76%

 TOTAL
 100.00%

 \*idx/trans ratio: Max 55(±) ds and min 45%(±) trans

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice.

# KEEP OUT OF REACH OF CHILDREN WARNING WONOT USE ON CATS

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacca or using the toilet. Remove and wash contaminated clothing before reuse.

#### HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age or weighing less than 5 pounds. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

#### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

#### Side Effects:

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vonniting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterionrian or cull 1-855-844-4375.

FIRST AID	
If in Eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If Swallowed:	Call a poison control center or doctor immediately for treatment advice.     Have person sip a glass of water if able to swallow.     Do not induce varmining unless table to do so by the poison control center or doctor.     Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-855-844-4375. For consumer questions, call 1-888-261-4657	
NOTE TO PHYSICIAN	
Treat the patient symptomatically.	

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

#### HOW TO OPEN


Repeat steps 1 to 3 for each applicator.
















#### HOW TO APPLY

- Prepare applicator as shown in "How to Open". Apply the entire contents of the applicator to one spot as shown:



Part the hair on the dog back between the shoulder blades until the skin is visible. Place the tip of the applicator on the skin and gently squeeze to apply all the contents to the skin. Carefully avoid allowing the product to run off the side of the dog. Keep solution out of your dog's eyes and do not allow your dog to ingest this product.

- Discard empty applicator and packaging as described in the Storage and Disposal section. 3
- 4 Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. Do not reapply Provecta™ Advanced for Dogs more often than once every seven (7) days. Once flea control is attained, return to a monthly application schedule.

#### PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with Provecta™ Advanced for Dogs rapidly kills fleas and may reduce the incidence of this condition.

Provecta™ Advanced for Dogs kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Provecta™ Advanced for Dogs is waterproof and remains effective following a shampoo, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. Pesticide Disposal and Container Handling: Non refillable container. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### LIMITED WARRANTY AND LIMITATION OF DAMAGES

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of CAP IM Supply, Inc.. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, CAP IM Supply, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, neither CAP IM Supply, Inc., the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

DO NOT USE ON CATS - MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately. DO NOT USE ON CATS

For consumer questions call 1-888-261-4657 For medical emergencies call 1-855-844-4375

EPA Reg No. 91384-3

CAP IM Supply, Inc. 2825 E. Cottonwood Pkwy, Suite 500 Salt Lake City, Utah 84121